



2023

Ethernet Switch



EG-SWU-1201-8G

8 Port unmanaged Gigabit switch

توسعه انتقال داده آرین
Tose-e Enteghal Dade Arka



Table of Contents

Introduction.....	2
Appearance.....	3
Front view.....	3
Device Specifications	3
Ordering information.....	4
Copyright information	4

Table of Figures

Figure 1 Front panel view	3
---------------------------------	---


List of tables

Table 1 Hardware Specification.....	3
Table 2 Ordering information.....	4
Table 3 Spare part ordering	4

Introduction

EG-SWU-1201-8G is an unmanaged 8 port Gigabit network switch, with self-adaptive port. All ports of this switch have up to 4kv lightning protection and up to 1000Mbps transmission rate which Provides high levels of reliability for hd video monitoring and setting up a network in no time. EG-SWU-1201-8G is simple, economic and with its low energy consumption and high-performance is the best product for cybercafe, company Layer2 network, school and intelligence community with the video monitoring applications.

- ✓ 8x1G Ports
- ✓ IEEE802.3, IEEE802.3u, IEEE802.3ab Ethernet standard
- ✓ supporting 9216-byte Jumbo Frame
- ✓ 16Gbps bandwidth
- ✓ up to 4KV port lightning protection
- ✓ Fanless design
- ✓ desktop size
- ✓ Plug and play, easy to use





Appearance

Front view



Figure 1 Front panel view

Device Specifications

Table 1 Hardware Specification

Network Port	8 10/100/1000Mbps RJ45 port
Transmission rate	10/100Mbps half-duplex
	100/1000Mbps full duplex
Performance	Network port: 100BASE-T or 1000BASE-TX Ethernet RJ-45port
	·Bandwidth: 16Gbps(no block)
	·MACaddress capacity: 4K
	· Frames filter and transfer rate: ·10Mport maximum 14,880pps ·100Mport maximum 148,809pps ·1000Mport maximum 148,8009pps
standards	·IEEE802.3 Ethernet standard
	·IEEE802.3u Fast Ethernet standard
	·IEEE802.3ab Gigabit Ethernet standards
	·IEEE802.3x Full-duplex Ethernet data link
LEDs indicator	·Power
	· Each port :LINK/ACT
Power	·Input power: 100-240V,50/60Hz
	· Output power: 12VDC ,0.5A
Dimensions	·Size(LxWxH): 125×75×27mm
	·Weight: 0.45kg
Environment	·Operating Temperature: 0°~40°C(32°~104°F)
	· Storage Temperature: -40°C~70°C(-104°~158°F)
	·Operating Humidity: 10%~90%(Non-condensing)
	·Storage Humidity: 5%~90%(Non-condensing)
EMC	·CE ClassB
	·FCC Part15, ClassB
	·VCCI ClassB
	·C-Tick
Certifications	·CE/LVD
Warranty	·18 months

تهران، فرمانیه، خیابان دیباجی شمالی
خیابان یاسمن، بن بست یاسمن شرقی

پلاک ۵

کد پستی: ۱۹۵۸۹۱۴۶۶۰

تلفن: ۰۲۱ ۲۲ ۸۲۸ ۱۳۶

فکس: ۰۲۱ ۲۲ ۸۲۸ ۱۳۵

ایمیل: info@easygigs.ir

easygigs.ir



Ordering information

Ordering information for this device is as follows:

Table 2 Ordering information

EG-SWU-1201-8G	8 port unmanaged Gigabit ethernet switch
----------------	--

Table 3 Spare part ordering

EG-SWU-1201-8G -PC	Power Cable
--------------------	-------------


Copyright information

Copyright ©Tose-e Enteghal Dade Arka (TED Telecom).

PJSC, 2022. ALL rights reserved.

easyGIGs and other Tose-e Enteghal Dade Arka(TED Telecom) trademarks are trademarks of Tose-e Enteghal Dade Arka.PJSC.

All other trademarks and trade names mentioned in this document are the property of their respective holders.



تهران، فرمانیه، خیابان دیباجی شمالی
خیابان یاسمن، بن بست یاسمن شرقی
پلاک ۵

کد پستی: ۱۹۵۸۹۱۴۶۶۰

تلفن: ۰۲۱ ۲۲ ۸۲۸ ۱۳۶

فکس: ۰۲۱ ۲۲ ۸۲۸ ۱۳۵

ایمیل: info@easygigs.ir

e a s y g i g s . i r